

AFFORDABLE. VERSATILE. DURABLE.

HIGHLIGHTS

- SAFE & EASY TO USE
- USE ON ANY TERRAIN
- LOW INITIAL COST
- CONFIGURABLE
- RUGGED STEEL CONSTRUCTION
- HEAVY WEIGHT CAPACITY
- LARGE OVERALL FOOTPRINT
- SPACIOUS DECK
- WORKS WITH MOST SKID STEERS
- WORKS WITH MOST FARM TRACTORS



FEATURES

- HYDRAULIC CONTROLS
- SAFETY LET DOWN ON ALL MODELS
- OVERRIDING GROUND CONTROL
- FLAT SURFACE TELESCOPIC LEGS
- TILT DECK $\pm 4^\circ$ (1908E HD ONLY)
- END ATTACH PLATE STD (1908E HD ONLY)



Deck Controls with Safety Let-Down Valve



Base Controls with Safety Let-Down Valve and Emergency Stop Switch



Anti-Slip Deck Surface



Standard Fork-Lift Pockets



Adjustable Legs and Tube Caps



SKID-LIFT.COM

SKID-LIFT, LLC

701.799.8228

INFO@SKID-LIFT.COM

4453 MAIN AVENUE, SUITE G, FARGO, ND 58103

21' WORKING HEIGHT



Model 1505s

- 21' Working Height
(15' Platform Height)
- 5' x 30" Wide Deck
- End and Side Access Doors
- One Side Attach Plate
- End Attach Plate Optional
(See skid-lift.com/optional-items)
- Two Person Occupancy
- Rated Capacity: 550 lbs.
- Weight: 1,500 lbs.

24' WORKING HEIGHT



Model 1805s

- 24' Working Height
(18' Platform Height)
- 5' x 30" Wide Deck
- End and Side Access Doors
- One Side Attach Plate
- End Attach Plate Optional
(See skid-lift.com/optional-items)
- Two Person Occupancy
- Rated Capacity: 550 lbs.
- Weight: 1,820 lbs.

29' WORKING HEIGHT



Model 2306s

- 29' Working Height
(23' Platform Height)
- 6' x 30" Wide Deck
- End and Side Access Doors
- One Side Attach Plate
- End Attach Plate Optional
(See skid-lift.com/optional-items)
- Two Person Occupancy
- Rated Capacity: 700 lbs.
- Weight: 2,050 lbs.

25' WORKING HEIGHT



Model 1908E HD

- 25' Working Height
(19' Platform Height)
- Includes 4° Side Tilt Feature
- 6' x 34" Platform with 24" Deck
Extension (Total 8' Deck Length)
- End and Side Access Doors
- End and Side Attach Plates Included
- Two Person Occupancy
- Rated Capacity: 1,000 lbs.
- Weight: 2,350 lbs.



SEE THE SKID-LIFT IN ACTION.

701.799.8228
INFO@SKID-LIFT.COM
SKID-LIFT.COM



SEE THE SKID-LIFT IN ACTION.

701.799.8228
INFO@SKID-LIFT.COM
SKID-LIFT.COM